



POWER RACK XTREME CPRX32-C1-H2-RB

On request modification.

Power Rack Xtreme is a powerful and highly reliable distribution solution for installation in the 19" Rack. It is ideally suited for amplifier rack wiring application.



Features & Benefits

- High quality electrical and electronical component from the renowned brands
- Circuit protection with residual current device (RCCB) and miniature circuit breakers (MCB)
- High quality assembly in EU
- Attractive price / value ratio

Markets & Applications

- Markets: Professional audio esp. amp rack wiring / lighting / video wall
- Mobile applications: Festivals, live events. Control panels / rooms.
- Semi-permanent applications: Theaters, studios, fairs. Control panels /rooms.

Ordering information

Article name	Details	Order code
CPRX32-C1-H2-RB	Front: 12x MCB (1-pole), 2x RCCB (3-pole + N), Back: IN: 1x Input cable 2m, 1x CEE32A, OUT: 2 x Harting E16 6ch [1-9].	1038248

Technical Information

Product	
Input device	1x Input cable 2m 1x CEE32A
Daisy chain	
Output device	2x Harting E16 6ch [1-9] (12x MCB 1P, 2x RCCB 40A 3P+N) 1x cPot
Main switch	
Power meter	

Electrical	
Phase control indicator	
Rated voltage	400V
Rated Current	32A

Mechanical	
Weight	
Type of construction	19" Housing 3 HE

Material	
Housing	Metal
Color	Black

Environmental

Protection class	IP20
Temperature range	-5 to +40°C